PATIENT'S LEAFLET.
READ CAREFULLY BEFORE USING THIS MEDICINE

DERMALUX
Cream – Lotion

COMPOSITION:

Dermalux Plus Cream:

Hydrocortisone Acetate	: 0.5%.
Zinc Oxide	: 4.0%.
Titanium Dioxide	: 4.0%.

Dermalux Lotion :

Calamine	: 15%.
Zinc Oxide	: 5.0%.
Lignocaine HCl	: 1.0%.

THERAPEUTIC ACTIVITY:

Astringent, soothing and protective for the skin.

DOSAGE AND ADMINISTRATION:

Apply on the affected area 2-3 times daily or as directed by the physician.

WARNINGS:

- For external use only.
- If you feel any change on your general health consult your physician.

SIDE EFFECTS:

Along with its needed effects, a medicine may cause some unwanted effects. Check with your physician immediately if you feel any change on your health.

DRUG INTERACTIONS:

If you are using another drug concomitantly or if you have just finished treatment with another medicine, inform your doctor or pharmacist, in order to prevent hazards or lack of efficacy arising from drug interactions especially with other skin preparations.

STORAGE:

- Store at 15 – 25℃, Protect from direct light.
- Keep out of the reach of children.
- Discard outdated medicines.

PRESENTATION:

Dermalux Plus Cream **:** Tubes of 30 gm each.
Dermalux Lotion **:** Bottles of 100 ml each.

INFORMATION ON THIS MEDICINE HAS BEEN BASED ON:

Martindale 29th edition, page 917, 936.

Jerusalem Pharmaceuticals Co. Ltd.
Al-Bireh – Ramallah – Palestine